


DESCRIPTION OF *BULIMULUS DUKINFIELDI*, n.sp., FROM
PARANÁ, BRAZIL.

By J. COSMO MELVILL, M.A., F.L.S., etc.

Read 6th April, 1900.

BULIMULUS (*DRYMEUS*) *DUKINFIELDI*.

B. testa ovato-oblonga, anguste umbilicata, tenui, olivacea, fere lævi, anfractibus 6, apicali incluso mamillato, apud suturas fortiter impressis, longitudinaliter indistincte obliquistriatis, et sub lente spiraliter ruguloso-striatulis, ultimo anfractu cæteros multum superante, apertura albo-einerea, peristomate tenuiter reflexo, albescente, lævi, marginem apud columellarem paullum incrassato, recto. Long. 28, lat. 13 mm.



Bulimulus Dukinfieldi, n.sp.

Hab.—Salto Grande do Rio dos Patos (upper waters of River Ivaly), Paran , Brazil (E. D. Jones, Esq.).

A plain but interesting species, procured from a district hitherto almost unworked, that does not seem much akin to any other of the genus known to me. Two specimens, precisely similar, were obligingly handed me by Mr. R. Dukinfield Darbishire, of Manchester, as collected by his relative, Mr. E. Dukinfield Jones, in 1899. I am much indebted to Mr. S. I. Da Costa for having compared this shell with the complete series of *Bulimulus*, both in his own extensive collection and that of the British Museum (Natural History), in which latter the type is now placed.